eurofins | Food Testing

Analytical report AR-24-SZ-061321-02

Testing laboratory:	Customer:
Eurofins Food Testing Slovakia s.r.o. Komjatická 73, 940 02 Nové Zámky IČO: 52 601 714 tel.: +421 908810030, +421 911810531 MarketingNZ@ftcee.eurofins.sk, www.eurofins.sk	natural supplements s.r.o Kmeťkova 1 949 04 Nitra SLOVAKIA

Date of Sample Receipt: 27.08.2024 **Date of Testing**: 27.08.2024 - 03.09.2024 **Issue date:** 03.09.2024

Sample information: **147-2024-00082038**

Sample description: Magnesium Bisglycinate 11% Mg
Sample Reference: P14849, Pack ID: 3907381
Lot/Los-Nr.: 24012001

Physical and chemical tests

Parameter	Unit	Allowed Value	Measured Value	Uncertainty of measurement*	Method	Testing method	E	TT
Magnesium (Mg)	mg/kg	-	118010	15%	ICP-OES	LS-PP-CH-2/23	-	SA
Zinc (Zn)	mg/kg	-	23,8	25%	ICP-MS	LS-PP-CH-85	-	SA

Notes:
E - evaluation
S - satisfied
NS - not satisfied
(A) - accredited sampling
ŠPP - Standard operation procedure
(SA) - accredited sampling executed under the subcontract
ND - not detected by given method
LOQ, LQ – limit of quantification
CFU - Colony forming unit
NM - necessary quantity
TT - type of test
A - accredited test executed at the own test laboratory
N - non accredited test executed at the own test laboratory
SA - accredited test executed under the subcontract
SN - unaccredited test executed under the subcontract
(TM) - testing outside the laboratory at the customer
m - the highest allowed value at the case of one sample
M, c - "M" highest allowed value for the number "c" at the case of 5 sample`s evaluation
* - measurement uncertainty – sampling and analysis – determined by extension coefficient k=2 (with probability of 95%). If sample is taken by the customer uncertainty of sampling is not available.
- uncertainty given in % reflects the uncertainty from the result of measurement.
** - Acceptable to consumers and no abnormal change

Disclaimer: Laboratory is a disclaimer when the information is supplied by the customer (#) and can affect the validity of results. If the sample has been provided by the customer, the results refer to the sample as it was received. Gauges and measuring equipment used for testing were calibrated or attested in accordance with the valid metrological instructions. The above mentioned test results refer to the tested sample only! The result given in this Analytical report and marked as non accredited test shall not be a subject of accreditation. The result given in this Analytical report and marked as sub- delivery is the result of a Subcontractors gauging made under the terms and conditions of a contract concluded eith him. This Analytical report shall not be reproduced except in full colour version, without written approval of the laboratory.

Responsible for correctness:

Validity check of document

eurofins | Food Testing
Eurofins Food Testing Slovakia s.r.o.
Komjatická 73, 940 02 Nové Zámky
IČO: 52 601 714 DIČ: 2121096252
IČ DPH: SK2121096252

Test Certificate approved by